
Sequence Listing was accepted.

If you need help call the Patent Electronic Business Center at (866)

217-9197 (toll free).

Reviewer: MSpencer

Timestamp: Mon May 07 11:45:06 EDT 2007

Validated By CRFValidator v 1.0.2

Application No: 10568134 Version No: 1.0

Input Set:

Output Set:

Started: 2007-04-20 11:57:00.885 Finished: 2007-04-20 11:57:01.586

Elapsed: 0 hr(s) 0 min(s) 0 sec(s) 701 ms

Total Warnings: 24
Total Errors: 0
No. of SeqIDs Defined: 24
Actual SeqID Count: 24

Error Description ErrCode 213 Artificial or Unknown found in <213> in SEQ ID (1) M213 Artificial or Unknown found in <213> in SEQ ID (2) W 213 Artificial or Unknown found in <213> in SEQ ID (3) W 213 Artificial or Unknown found in <213> in SEQ ID (4) W 213 Artificial or Unknown found in <213> W in SEQ ID (5) 213 Artificial or Unknown found in <213> in SEQ ID (6) W 213 Artificial or Unknown found in <213> in SEQ ID (7) W 213 Artificial or Unknown found in <213> in SEQ ID (8) 213 Artificial or Unknown found in <213> in SEQ ID (9) W 213 MArtificial or Unknown found in <213> in SEQ ID (10) 213 Artificial or Unknown found in <213> W in SEQ ID (11) 213 Artificial or Unknown found in <213> W in SEQ ID (12) 213 Artificial or Unknown found in <213> in SEQ ID (13) W 213 Artificial or Unknown found in <213> W in SEQ ID (14) 213 Artificial or Unknown found in <213> W in SEQ ID (15) 213 Artificial or Unknown found in <213> in SEQ ID (16) W 213 Artificial or Unknown found in <213> W in SEQ ID (17) 213 Artificial or Unknown found in <213> in SEQ ID (18) W 213 Artificial or Unknown found in <213> in SEQ ID (19) W 213 Artificial or Unknown found in <213> in SEQ ID (20) W This error has occured more than 20 times, will not be displayed

SEQUENCE LISTING

```
<110> Sirna Therapeutics, Inc.
      Radka, Susan
      Zinnen, Shawn
      Jadhati, Vasant
      McSwiggen, James
      Vaish, Narendra
<120> Detection and Quantitation of Nucleic Acid Molecules in
      Biological Samples
     700/020 (MBHB03-770-B)
<130>
<140> 10568134
<141> 2007-05-07
<150> PCT/US 04/026857
<151> 2004-08-17
<150> US 60/497,222
<151> 2003-08-22
<150> US 60/543,784
<151> 2004-02-11
<160> 24
<170> PatentIn version 3.3
<210> 1
<211> 21
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: siNA sense region
<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moeity
<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy-2'-fluoro
<220>
```

<221> misc_feature

```
<222> (5)..(5)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (7)..(10)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (12)..(15)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (17)..(19)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (1)..(19)
<223> ribonucleotide modified as described
<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moeity
<400> 1
ugugcacuuc gcuucaccut t
                                                                     21
<210> 2
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Chol-7/siNA sense region
<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'bifunctional cholesterol conjugate
<220>
<221> misc_feature
<222> (3)..(3)
<223> inverted deoxyabasic moeity
<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy-2'-fluoro
```

```
<220>
<221> misc_feature
<222> (5)..(5)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (7)..(7)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (9)..(12)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (14)..(17)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (19)..(21)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (1)..(21)
<223> ribonucleotide modified as described
<220>
<221> misc_feature
<222> (23)..(23)
<223> 3'-3 attached terminal deoxyabasic moeity
<400> 2
taugugcacu ucgcuucacc utt
                                                                     23
<210> 3
<211> 25
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Chol-trigal 7/siNA sense
      region
<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'bifunctional cholesterol conjugate
<220>
<221> misc_feature
<222> (3)..(3)
<223> inverted deoxyabasic moeity
```

```
<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (5)..(5)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (7)..(7)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (9)..(12)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (14)..(17)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (19)..(21)
<223> 2'-deoxy-2'-fluoro
<221> misc_feature
<222> (23)..(23)
<223> 3' inverted deoxyabasic moeity
<220>
<221> misc_feature
<222> (24)..(24)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (2)..(21)
<223> ribonucleotide modified as described
<220>
<221> misc_feature
<222> (24)..(24)
<223> ribonucleotide modified as described
<220>
<221> misc_feature
<222> (25)..(25)
<223> 3' tri-N-acetyl galactosamine conjugate
```

```
<220>
<221> misc_feature
<222> (25)..(25)
<223> 3'-3 attached terminal deoxyabasic moeity
<400> 3
taugugcacu ucgcuucacc uttat
                                                                  25
<210> 4
<211> 21
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: siNA antisense region
<220>
<221> misc_feature
<222> (1)..(3)
<223> 2'-O-methyl
<220>
<221> misc_feature
<222> (4)..(4)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (5)..(8)
<223> 2'-O-methyl
<220>
<221> misc_feature
<222> (9)..(9)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (10)..(13)
<223> 2'-O-methyl
<220>
<221> misc_feature
<222> (14)..(14)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (15)..(15)
<223> 2'-O-methyl
<220>
<221> misc_feature
<222> (16)..(16)
```

<223> 2'-deoxy-2'-fluoro

```
<220>
<221> misc_feature
<222> (17)..(17)
<223> 2'-O-methyl
<220>
<221> misc_feature
<222> (18)..(18)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-O-methyl
<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage
<220>
<221> misc_feature
<222> (1)..(19)
<223> ribonucleotide modified as described
<400> 4
aggugaagcg aagugcacat t
                                                                     21
<210> 5
<211> 10
<212> RNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Biotinyl capture oligo/siNA
      sense region
<220>
<221> misc_feature
<222> (1)..(1)
<223> 5' attached terminal Biotin
<220>
<221> misc_feature
<222> (1)..(10)
<223> 2'-O-methyl
<400> 5
                                                                    10
aggugaagcg
```

<210> 6 <211> 10

```
<212> RNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Biotinyl capture oligo/siNA
      antisense region
<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'attached terminal Biotin
<220>
<221> misc_feature
<222> (1)..(10)
<223> 2'-O-methyl
<400> 6
ugugcacuuc
                                                                    10
<210> 7
<211> 11
<212> RNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: FITC labeled reporter
      oligo/siNA sense region
<220>
<221> misc_feature
<222> (1)..(11)
<223> 2'-O-methyl
<220>
<221> misc_feature
<222> (11)..(11)
<223> 3' attached terminal Fluorescein
<400> 7
                                                                    11
aagugcacau u
<210> 8
<211> 11
<212> RNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: FITC labeled reporter
      oligo/siNA antisense region
```

```
<221> misc_feature
<222> (1)..(11)
<223> 2'-O-methyl
<220>
<221> misc_feature
<222> (11)..(11)
<223> 3' attached terminal Fluorescein
<400> 8
gcuucaccuu u
                                                                     11
<210> 9
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: siNA sense region
<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (4)..(4)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (6)..(9)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (11)..(14)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (16)..(18)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (1)..(18)
<223> ribonucleotide modified as described
<220>
<221> misc_feature
<222> (20)..(20)
<223> 3'-3 attached terminal deoxyabasic moeity
```

<400> 9 gugcacuucg cuucaccutt 20 <210> 10 <211> 19 <212> DNA <213> Artificial Sequence <220> <223> Description of Artificial Sequence: siNA sense region <220> <221> misc_feature <222> (1)..(1) <223> 2'-deoxy-2'-fluoro <220> <221> misc_feature <222> (3)..(3) <223> 2'-deoxy-2'-fluoro <220> <221> misc_feature <222> (5)..(8) <223> 2'-deoxy-2'-fluoro <220> <221> misc_feature <222> (10)..(13) <223> 2'-deoxy-2'-fluoro <220> <221> misc_feature <222> (15)..(17) <223> 2'-deoxy-2'-fluoro <220> <221> misc_feature <222> (1)..(17) <223> ribonucleotide modified as described <220> <221> misc_feature <222> (19)..(19) <223> 3'-3 attached terminal deoxyabasic moeity <400> 10

19

<210> 11 <211> 17

ugcacuucgc uucaccutt

<212> DNA

```
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: siNA sense region
<220>
<221> misc_feature
<222> (1)..(1)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (3)..(6)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (8)..(11)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (13)..(15)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (1)..(15)
<223> ribonucleotide modified as described
<221> misc_feature
<222> (17)..(17)
<223> 3'-3 attached terminal deoxyabasic moeity
<400> 11
cacuucgcuu caccutt
                                                                    17
<210> 12
<211> 13
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: siNA sense region
<220>
<221> misc_feature
<222> (1)..(2)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
```

```
<222> (4)..(7)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (9)..(11)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (1)..(11)
<223> ribonucleotide modified as described
<220>
<221> misc_feature
<222> (13)..(13)
<223> 3'-3 attached terminal deoxyabasic moeity
<400> 12
ucgcuucacc utt
                                                                    13
<210> 13
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: siNA antisense region
<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (8)..(8)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (13)..(13)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (15)..(15)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (17)..(17)
<223> 2'-deoxy-2'-fluoro
```

```
<220>
<221> misc_feature
<222> (19)..(19)
<223> Phosphorothioate 3'-Internucleotide Linkage
<220>
<221> misc_feature
<222> (1)..(18)
<223> ribonucleotide modified as described
<400> 13
                                                                     20
ggugaagcga agugcacatt
<210> 14
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: siNA antisense region
<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (7)..(7)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (12)..(12)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (14)..(14)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (16)..(16)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (18)..(18)
<223> Phosphorothioate 3'-Internucleotide Linkage
<220>
<221> misc_feature
<222> (1)..(17)
```

```
<223> ribonucleotide modified as described
<400> 14
                                                                    19
gugaagcgaa gugcacatt
<210> 15
<211> 17
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: siNA antisense region
<220>
<221> misc_feature
<222> (5)..(5)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (10)..(10)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (12)..(12)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (14)..(14)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (16)..(16)
<223> Phosphorothioate 3'-Internucleotide Linkage
<220>
<221> misc_feature
<222> (1)..(17)
<223> ribonucleotide modified as described
<400> 15
gaagcgaagu gcacatt
                                                                    17
<210> 16
<211> 15
<212> DNA
```

<220>

<213> Artificial Sequence

```
<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (8)..(8)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (10)..(10)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (12)..(12)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (14)..(14)
<223> Phosphorothioate 3'-Internucleotide Linkage
<220>
<221> misc_feature
<222> (1)..(13)
<223> ribonucleotide modified as described
<400> 16
                                                                    15
agcgaagugc acatt
<210> 17
<211> 21
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: siNA sense region
<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moeity
<220>
<221> misc_feature
<222> (1)..(1)
```

<223> 2'-deoxy-2'-fluoro

<223> Description of Artificial Sequence: siNA antisense region

```
<220>
<221> misc_feature
<222> (2)..(2)
<223> 2'-deoxy
<220>
<221> misc_feature
<222> (3)..(3)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (4)..(4)
<223> 2'-deoxy
<220>
<221> misc_feature
<222> (5)..(5)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (6)..(6)
<223> 2'-deoxy
<220>
<221> misc_feature
<222> (7)..(10)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (11)..(11)
<223> 2'-deoxy
<220>
<221> misc_feature
<222> (12)..(15)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (16)..(16)
<223> 2'-deoxy
<220>
<221> misc_feature
<222> (17)..(19)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (1)..(19)
<223> ribonucleotide modified as described
```

```
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moeity
<400> 17
ugugcacuuc gcuucaccut t
                                                                    21
<210> 18
<211> 21
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: siNA antisense region
<220>
<221> misc_feature
<222> (1)..(3)
<223> 2'-O-methyl
<220>
<221> misc_feature
<222> (4)..(4)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (5)..(8)
<223> 2'-O-methyl
<220>
<221> misc_feature
<222> (9)..(9)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (10)..(13)
<223> 2'-O-methyl
<220>
<221> misc_feature
<222> (14)..(14)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (15)..(15)
<223> 2'-O-methyl
<220>
<221> misc_feature
<222> (16)..(16)
```

<223> 2'-deoxy-2'-fluoro

```
<220>
<221> misc_feature
<222>
     (17)...(17)
<223> 2'-O-methyl
<220>
<221> misc_feature
<222> (18)..(18)
<223> 2'-deoxy-2'-fluoro
<220>
<221> misc_feature
<222> (19)..(19)
<223> 2'-O-methyl
<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage
<220>
<221> misc_feature
<222> (1)..(19)
<223> ribonucleotide modified as described
<400> 18
aggugaagcg aagugcacat t
                                                                     21
<210> 19
<211> 21
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: siNA sense region
<220>
<221> misc_feature
<222> (1)..(1)
<223> 5'-3 attached terminal deoxyabasic moeity
<220>
<221> misc_feature
<222> (1)..(19)
<223> ribonucleotide modified as described
<220>
<221> misc_feature
<222> (21)..(21)
<223> 3'-3 attached terminal deoxyabasic moeity
<400> 19
```

cugaguuuaa aaggcaccct t

21

```
<210> 20
<211> 21
<212> DNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: siNA antisense region
<220>
<221> misc_feature
<222> (20)..(20)
<223> Phosphorothioate 3'-Internucleotide Linkage
<220>
<221> misc_feature
<222> (1)..(19)
<223> ribonucleotide modified as described
<400> 20
gggugccuuu uaaacucagt t
                                                                    21
<210> 21
<211> 13
<212> RNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Capture probe/siNA sense
      region
<220>
<221> misc_feature
<222> (1)..(13)
<223> 2'-O-methyl
<220>
<221> misc_feature
<222> (13)..(13)
<223> 3' attached terminal Biotin
<400> 21
                                                                    13
cuuuuaaacu cag
<210> 22
<211> 9
<212> RNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Reporter probe/siNA sense
      region
```

```
<221> misc_feature
<222> (1)..(1)
<223> 5' attached terminal Fluorescein
<220>
<221> misc_feature
<222> (1)..(9)
<223> 2'-O-methyl
<400> 22
aagggugcc
                                                                     9
<210> 23
<211> 14
<212> RNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Capture probe/siNA antisense
      region
<220>
<221> misc_feature
<222> (1)..(1)
<223> 5' attached terminal Biotin
<220>
<221> misc_feature
<222> (1)..(14)
<223> 2'-O-methyl
<400> 23
uacugaguuu aaaa
                                                                    14
<210> 24
<211> 8
<212> RNA
<213> Artificial Sequence
<220>
<223> Description of Artificial Sequence: Reporter probe/siNA
      antisense region
<220>
<221> misc_feature
<222> (1)..(8)
<223> 2'-O-methyl
<220>
<221> misc_feature
```

<220>

```
<222> (8)..(8)
<223> 3' attached terminal Fluorescein
<400> 24
ggcacca
```

8